



MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING

BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901
FAX (305) 375-2908

June 3, 2005

PRODUCT CONTROL DIVISION
(305) 375-2902
FAX (305) 372-6339

Product Control Advisory Metal Roofing

Jobsite Forming and/or Rolling:

In an effort to help the metal roofing industry comply with existing product approval provisions, the Miami-Dade County's Product Control Division is offering the following solution for field fabrication.

Most roofing panel Notice of Acceptances (NOA) are for shop formed panels only, unless specifically referenced in the NOA. This is based on the fact that most NOAs are based on TAS 125 testing done with shop formed panels.

Manufacturer's wishing to have jobsite formed panels will need to have an established program approved under our auspices for association. This process will alleviate the need for duplicative testing of the same product, and allow each fabricator to obtain the required NOA. The guidelines for association approval can be found in our checklist #0345.

Once the association is established and a product is approved, the association fabricators can each file for their respective NOA using the association's product data.

NOAs that will be used for jobsite forming and/or rolling will contain specific language to allow such practice, and must comply with the guidelines of the association program.

